

Mortality, Acuity and Staffing 2015 – 2016

Mortality at Countess of Chester Hospital was significantly higher than in all other LNUs.

Nursing staffing in Chester NNU was above the national average.

The percentage of shifts staffed to BAPM standards was higher than other LNUs in the network and higher than the national average.

Chester was providing a similar amount of high dependency and intensive care days as other LNUs in the network.

High dependency and intensive care days did not change appreciably in 2015 and 2016 compared to previous years.

Source: Badgernet Data 2017

Neonatal Network Report - Deaths Jan 2015 – July 2016- Gestation detailed.

Unit	<22	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	>43	Unknown	Total
Countess of Chester	0	0	0	0	0	0	1	1	2	2	1	0	2	0	0	0	1	0	1	2	0	0	0	0	0	13
Leighton	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Macclesfield District General	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ormskirk	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
Warrington and Halton Hospitals NHS foundation Trust	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Whiston	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2

Unit staffing levels in England and Wales 2015-2016

